



# Avid® Editing Application

ReadMe for Media Composer® v6.0, NewsCutter® v10.0, and  
Symphony™ v6.0

---

**IMPORTANT:** Avid periodically makes software updates available for download on [Avid.com](http://www.avid.com/us/support/downloads) at the following location: [www.avid.com/us/support/downloads](http://www.avid.com/us/support/downloads). Please check the above site regularly for information on available downloads for your product.

## Important Information

Avid® recommends that you read all the information in this ReadMe file thoroughly before installing or using any new software release.

**Important:** Search the Avid Knowledge Base for the most up-to-date ReadMe file, which contains the latest information that might have become available after the documentation was published.

This document describes compatibility issues with previous releases, software installation instructions, hardware and software requirements, and summary information on system and memory requirements. This document also lists hardware and software limitations.

# Contents

If You Need Help . . . . . 3

New in Media Composer v6.0, Symphony v6.0, and NewsCutter v10.0 . . . . . 4

Notes on Windows 7 OS . . . . . 4

Notes on Software Licensing . . . . . 5

Qualified Hardware and Operating Systems . . . . . 6

Compatibility Chart . . . . . 12

Setting up the NVIDIA Card . . . . . 18

Shared Storage Support . . . . . 19




Feature Performance . . . . . 20

Limitations . . . . . 23

Documentation Changes . . . . . 26

# Symbols and Conventions

Avid documentation uses the following symbols and conventions:

Symbol or Convention	Meaning or Action
	A note provides important related information, reminders, recommendations, and strong suggestions.
	A caution means that a specific action you take could cause harm to your computer or cause you to lose data.
	A warning describes an action that could cause you physical harm. Follow the guidelines in this document or on the unit itself when handling electrical equipment.
>	This symbol indicates menu commands (and subcommands) in the order you select them. For example, File > Import means to open the File menu and then select the Import command.

Symbol or Convention	Meaning or Action
▶	This symbol indicates a single-step procedure. Multiple arrows in a list indicate that you perform one of the actions listed.
(Windows), (Windows only), (Macintosh), or (Macintosh only)	This text indicates that the information applies only to the specified operating system, either Windows or Macintosh OS X.
<b>Bold font</b>	Bold font is primarily used in task instructions to identify user interface items and keyboard sequences.
<i>Italic font</i>	Italic font is used to emphasize certain words and to indicate variables.
<b>Courier Bold font</b>	Courier Bold font identifies text that you type.
Ctrl+key or mouse action	Press and hold the first key while you press the last key or perform the mouse action. For example, Command+Option+C or Ctrl+drag.

## If You Need Help

If you are having trouble using your Avid product:

1. Retry the action, carefully following the instructions given for that task in this guide. It is especially important to check each step of your workflow.
2. Check this ReadMe file for the latest information that might have become available after the documentation was published. Also check online for the most up-to-date ReadMe because the online version is updated whenever new information becomes available. To view the online ReadMe, select ReadMe from the Help menu, or visit the Knowledge Base at <http://www.avid.com/readme>.
3. Check the documentation that came with your Avid application or your hardware for maintenance or hardware-related issues. In addition to the printed documentation supplied with your editing application, the documentation is supplied in PDF format when you install the application. Topics that you print from the Help have limited page layout and formatting features. If you want to print a higher quality version of Help information, Avid recommends that you print all or part of the PDF version of the appropriate Avid manual included in the Online Library for your editing application. To access the Online Library, select Help > Online Library from within your Avid editing application.
4. Visit Avid Online Support at [www.avid.com/onlineSupport/](http://www.avid.com/onlineSupport/). Online support is available 24 hours per day, 7 days per week. Search the Knowledge Base to find answers, to view error messages, to access troubleshooting tips, to download updates, and to read or join online message-board discussions.

# New in Media Composer v6.0, Symphony v6.0, and NewsCutter v10.0

For information on new features, see the *What's New* pdf.

## AMA Plug-ins

Just a reminder that only the AMA QuickTime Plug-in is included with your Avid editing application. All other AMA Plug-ins are downloaded and installed separately.

## Before Installing the Editing Application

Read through the *Installation Guide for Avid Editing Applications*. This document ships with the editing application kit. If you did not receive a physical kit, this document is also on the download page and the Knowledge Base.

## Notes on Macintosh Snow Leopard OS

The Avid editing application Macintosh installer switches to 64-bit. Please make sure that your Macintosh Lion v10.7 system supports 64-bit prior to installing and that your current non-Avid applications are compatible to run in 64-bit mode.

## Notes on Windows 7 OS

Note the following topics if you are running the editing application on the Windows 7 OS.

### Disabling Desktop Compositing

When the Avid editor is launched you might see a dialog box asking you to disable desktop compositing. You can disable it without adversely affecting the Avid editing application.

You can choose to disable it and continue with your editing session. The dialog will appear once you relaunch the application unless you disable the option.

#### **To disable the desktop compositing:**

1. Access the Control Panel.
2. Double-click System.
3. Click Change Settings.

4. Click the Advanced tab.
5. Under the Performance area, click Settings.
6. Uncheck “Enable desktop composition.”

The dialog box requesting you to disable desktop compositing does not appear the next time you launch the editing application.

## Standard User

You need to first install the editing application as an Administrator. If you are in a Shared Storage environment, mount your workspaces as an Administrator. You may then log off and log back in as a Standard user, if necessary.

## Windows Sidebar

If the Windows Sidebar is enabled, you might see flickering on the Timeline monitor when you stop playback. You should disable Windows Sidebar:

### To disable the Windows Sidebar:

1. Right-click the Sidebar or Sidebar icon, and select Properties.
2. Deselect “Start Sidebar when Windows starts.”
3. Right-click the icon, and select Exit to close the sidebar.

# Notes on Software Licensing

## If You Upgrade Your Operating System

If you need to upgrade your operating system after you install your Avid editing application, first deactivate your software. After you upgrade your operating system and, if required, reinstall your application, you can reactivate your software. For information on activating and deactivating your software license, see the *Installation Guide for Avid Editing Applications*.

## Minimum RAM Recommendation

For this release Avid recommends a minimum of 4GB of RAM. Some features might require more RAM and specific hardware. See [“Feature Performance” on page 20](#) for more info.

# Qualified Hardware and Operating Systems

Some features are processor-intensive and require specific hardware. See “[Feature Performance](#)” on page 20 for more info.

The following tables provide the information on qualified Windows and Macintosh hardware. The following tables also list the qualified Operating Systems. Depending upon your hardware the qualified Operating Systems are:

- Windows 7 64-bit SP1(Professional)
- (Media Composer and Symphony) Macintosh Lion v10.7.1 and v10.7.2

## Lion Permission Information

As of Mac OS 10.7 Lion the default permissions for the root level of the system drive are now set to “Read Only” for all users. This prevents the Avid Editing Application from being able to use this drive as a media drive. You will see the drive grayed out in Media Creation settings or as an option for import, mixdown, render, and consolidate/transcode.

If you don’t intend to use the system drive for media you can leave it alone. This is ideal in most cases.

If you do need to use the system drive, perform the following to change permissions..

### To change permissions:

1. Click on your system drive (Macintosh HD in most cases) to highlight.
2. From the File menu select Get Info (cmd+I)
3. Click the lock icon in the bottom right to make changes
4. Click on the “Read only” text in the Privilege column next to Everyone and set the privilege to “Read & Write”

You should now be able to see the system drive as a valid media drive.



*If you repair permissions on the system drive, they will reset and you will have to repeat this procedure.*

## Qualified PC Workstations with Avid Media Composer, Avid Symphony, and Avid NewsCutter

The following PC Workstations are qualified with Avid Media Composer v6 and higher, Avid Symphony v6 and higher and NewsCutter v10 and higher.

Qualified PC Hardware	Graphics Card	Qualified OS	Supported with
HP z800 Dual 6 Core, 2.66 GHz	NVIDIA Quadro FX 3800 Quadro 4000	Windows 7 64-bit	Software Only Nitris DX Mojo DX
HP z800 Dual Quad Core, 2.93 GHz or 2.66GHz	NVIDIA Quadro FX 3800 Quadro 4000	Windows 7 64-bit	Software Only Nitris DX Mojo DX
HP z400 Single 6 Core 3.33 GHz	NVIDIA Quadro FX 3800 Quadro 2000	Windows 7 64-bit	Software Only Nitris DX Mojo DX
HP z400 Single Quad Core, 3.06 GHz or 2.93 GHz	NVIDIA Quadro FX 3800 Quadro 2000	Windows 7 64-bit	Software Only Nitris DX Mojo DX
HP z210 Quad Core Xeon 3.3- E3-1240, 3.4 E3-1270, 3.5 E3-1280	Quadro 600	Windows 7 64-bit	Software Only
HP z200 Intel® Core™ i5-660 3.33 4MB/1333 Dual-Core	NVIDIA Quadro 600	Windows 7 64-bit	Software Only
Dell™ T5500 Dual 6 Core, 2.66GHz	NVIDIA Quadro FX 4800 Quadro 4000	Windows 7 64-bit	Software Only Nitris DX Mojo DX
Dell T5500 Dual, 2.93GHz Quad Core	NVIDIA Quadro FX 4800 Quadro 4000	Windows 7 64-bit	Software Only Nitris DX Mojo DX
Dell T3500 Single 6 Core, 3.2GHz	NVIDIA Quadro FX 3800 Quadro 2000	Windows 7 64-bit	Software Only Nitris DX Mojo DX
Dell T3500 Single Quad Core, 2.93GHz	NVIDIA Quadro FX 3800 Quadro 2000	Windows 7 64-bit	Software Only Nitris DX Mojo DX

<b>Qualified PC Hardware</b>	<b>Graphics Card</b>	<b>Qualified OS</b>	<b>Supported with</b>
HP xw8600 Dual Quad Core, 3.0 GHz	NVIDIA Quadro FX 3700	Windows 7 64-bit	Software Only Nitris DX Mojo DX
Dell T5400 Dual Quad Core, 2.5 GHz or 3.15 GHz	NVIDIA Quadro 3700	Windows 7 64-bit	Software Only Nitris DX Mojo DX
HP xw4600 Core 2 Duo, 3.0 GHz	NVIDIA Quadro FX 570	Windows 7 64-bit	Software Only
Dell T3400 Core 2 Duo, 2.33GHz, or 2.66 GHz	NVIDIA Quadro FX 570	Windows 7 64-bit	Software Only

## Qualified PC Notebooks for Avid Media Composer, Avid Symphony, and Avid NewsCutter

The following PC Notebooks are qualified with Avid Media Composer v6 and higher, Avid Symphony v6 and higher and Avid NewsCutter v10 and higher. The following applies to the editing system when running on a laptop:

- DNxHD capture is only supported on Mojo DX on a Quad core system with hyperthreading enabled. Nitris DX is not supported on laptops
- Capture of 10 bit video for example, DNxHD 185x, is not supported on Mojo DX.
- Playback in full quality 10 bit mode is not supported

<b>Qualified PC Notebooks</b>	<b>Graphics Cards</b>	<b>Qualified OS</b>	<b>Supported With</b>
HP 8760w i7-282Q, i7-2820Q 2.2 or 2.3 GHz	NVIDIA Quadro 3000M Quadro 4000M	Windows 7 64-bit	Software Only Mojo DX
HP 8560w, i7-2720Q, 2820Q, 2.2 or 2.3 GHz 17" 1920 x1080	NVIDIA Quadro 1000M Quadro 2000M	Windows 7 64-bit	Software Only
Dell M6600, i7-2720Q, 2820Q, 2.2 or 2.3 GHz 17" 1920 x1080	NVIDIA Quadro 3000M Quadro 4000M	Windows 7 64-bit	Software Only Mojo DX



<b>Qualified PC Notebooks</b>	<b>Graphics Cards</b>	<b>Qualified OS</b>	<b>Supported With</b>
Dell 4600, i7-2720Q, 2820Q, 2.2 or 2.3 GHz 15" 1920 x1080	NVIDIA Quadro 1000M Quadro 2000M	Windows 7 64-bit	Software Only Mojo DX
HP 8740w X820, X920 Quad i7 (1.73, 2.0 GHz) 17" 1920x1200	NVIDIA FX 2800M  NVIDIA FX 3800M	Windows 7 64-bit	Software Only Mojo DX
HP 8540w X720, X820 Quad i7 (1.6, 1.73 GHz) 15" 1920x1080	NVIDIA FX 1800M	Windows 7 64-bit	Software Only Mojo DX
Dell M6500 i- 820Q, i7-840Q, i7-920X(1.73, 1.87, 2.0 GHz) 17" 1920x1200	NVIDIA FX 2800M  NVIDIA FX 3800M	Windows 7 64-bit	Software Only Mojo DX
HP 8730 2.53 or 3.06 GHz Core 2 Duo	NVIDIA Quadro FX 2700M Quadro FX 3700M	Windows 7 64-bit	Software Only
HP 8530 2.53 or 3.06 GHz Core 2 Duo	NVIDIA Quadro FX 770M	Windows 7 64-bit	Software Only
Dell 6400 2.53 or 3.06 GHz Core 2 Duo	NVIDIA Quadro FX 2700M Quadro FX 3700M	Windows 7 64-bit	Software Only

## Qualified Macintosh Workstations for Avid Media Composer and Avid Symphony

The following Macintosh Workstations are qualified with the Avid Media Composer v6 and Avid Symphony v6 and higher. Mac Pro systems ship with the 64-bit kernel enabled. In previous releases, you had to toggle to the 32-bit kernel. With v6 and higher, you must run with the 64-bit enabled.

<b>Qualified Macintosh Hardware</b>	<b>Graphics Cards</b>	<b>Qualified OS</b>	<b>Supported With</b>
Mac Pro “Westmere” Two 2.66GHz 6-Core Intel Xeon (12 cores)	ATI Radeon HD 5770	Lion v10.7.1 and v10.7.2	Software Only Nitris DX Mojo DX
Mac Pro “Nehalem” 2.66 GHz or 2.93 GHz Dual Quad Core Intel Xeon	NVIDIA GeForce GT 120	Lion v10.7.1 and v10.7.2	Software Only Nitris DX Mojo DX
Mac Pro “Nehalem” Dual 2.26 GHz Quad Core Intel	NVIDIA GeForce GT 120	Lion v10.7.1 and v10.7.2	Software Only
Mac Pro “Harpertown” Dual Quad Core 3.0 or 3.2 GHz	NVIDIA GeForce 8800 GT	Lion v10.7.1 and v10.7.2	Software Only Nitris DX Mojo DX
iMac 27” Display Quad Core 3.4 GHz	ATI 6970M	Lion v10.7.1 and v10.7.2	Software Only
iMac 27” Display Quad Core 2.93 GHz	ATI 4850	Lion v10.7.1 and v10.7.2	Software Only
iMac 21.5” Display Dual Core 3.6GHz	GeForce 9400	Lion v10.7.1 and v10.7.2	Software Only
iMac 27” Display 2.8 GHz 4 GB Quad Core 1066MHz	ATI Radeon HD 4850 Graphics Processor	Lion v10.7.1 and v10.7.2	Software Only
iMac 27” Display Quad Core 2.8GHz	ATI 4850	Lion v10.7.1 and v10.7.2	Software Only
iMac 20” Display 2.66 GHz Core 2 Duo	GeForce 9400	Lion v10.7.1 and v10.7.2	Software Only

## Qualified Macintosh Notebooks for Media Composer and Avid Symphony

The following Macintosh notebooks are qualified with the current editing applications. The following applies to the editing system when running on a laptop.

- HD Capture on Macintosh notebooks is not supported
- Playback in full quality 10 bit mode is not supported

<b>Qualified Macintosh Notebook</b>	<b>Graphics Cards</b>	<b>Qualified OS</b>	<b>Supported With</b>
MacBook Air 13" 1.7GHz Dual-Core Intel Core i5 or 1.8GHz Dual-Core Intel Core i7	Intel 3000	Lion v10.7.1 and v10.7.2	Software Only
MacBook Pro 17" 2.2/2.3/ GHz Quad Core i7	6750M Intel 3000	Lion v10.7.1 and v10.7.2	Software Only Mojo DX (no DNxHD capture)
MacBook Pro 15" 2.0/2.2/2.3GHz Quad Core i7	6490M 6750M Intel 3000	Lion v10.7.1 and v10.7.2	Software Only
MacBook Pro 15" 2.53GHz Dual Core i5 15" or 17" 2.66GHz Dual Core i7	GT 330M	Lion v10.7.1 and v10.7.2	Software Only 17" only - Mojo DX (no DNxHD capture)
MacBook Pro 15" or 17" 2.53/2.66/2.8 GHz Core 2 Duo	9400M and 9600M	Lion v10.7.1 and v10.7.2	Software Only Mojo DX (no DNxHD capture)
MacBook Pro 15" and 17" 2.5 GHz Core 2 Duo	8600M	Lion v10.7.1 and v10.7.2	Software Only Mojo DX (no DNxHD capture)

# Compatibility Chart

The following table lists the operating system, NVIDIA® driver, QuickTime®, Windows Media™, Avid Interplay®, shared storage, Sony® XDCAM™, Panasonic® P2, and Pro Tools LE® versions that were qualified with the Avid editing applications. Also listed are the third-party applications such as Boris Continuum Complete, Avid DVD by Sonic™, and Sorenson Squeeze® that ship with the editing applications.

Item	Versions	Comments
QuickTime Support	v7.7 (Windows) v10 X (Macintosh)	Note: QuickTime v10X does not include QuickTime Pro options.
Windows Media Version Support	Windows Media Player 12 (for Windows 7)	If you do not have Windows Media Player, access the download at <a href="http://www.microsoft.com">www.microsoft.com</a> .  Windows Media export compatibility is subject to Microsoft Windows Media updates.
NVIDIA Driver Support	v275.89	See Setting up the NVIDIA Card. For setting up the driver for stereoscopic, see the NVIDIA setup info in the Stereoscopic 3D Workflow Guide.
Shared Storage Support	Avid Unity™ MediaNetwork and Avid Unity ISIS®.	See “ <a href="#">Shared Storage Support</a> ” on <a href="#">page 19</a> .
Sony XDCAM driver	v2.12 (XDCAM Transfer for Macintosh)  Win 7-64 FAM 2.3.2and VFAM 2.3.2	Avid recommends you install the VFAM 3.0 (Macintosh OS) when using the PDWU1 device. The firmware version is 2.45. The driver can be downloaded from Sony's website <a href="http://esupport.sony.com/">http://esupport.sony.com/</a> .
Panasonic P2 drive	(Macintosh) No device support for Lion  (Windows 7) Driver version for P2 devices:v2.16	There is currently no P2 writeback support for Macintosh clients.
Avid FX	v6.0	Ships with: Avid Media Composer Avid Symphony
Avid Artist Series (Euphonix)	EuControl software v2.5.7 or later	See the User’s Guide for information on Artist Series Color setup information.

# Avid Editing Application Compatibility with Pro Tools

## General Co-Installation Notes:

- Install Pro Tools first and then Media Composer.
- You must uninstall all older versions of Media Composer or Pro Tools before installing newer versions.
- Co-install does not support both applications launched simultaneously.
- When you uninstall Pro Tools, choose to uninstall just the application and not the audio drivers or the editing application no longer sees the devices. On a Macintosh Pro Tools system, this is named the “Safe Uninstall.” On a Windows Pro Tools system, you must select the first uninstall option — “Pro Tools Only” — which is not selected by default.
- (Macintosh only) When you uninstall your Avid editing application, you must uninstall just the application and not the audio drivers or Pro Tools no longer sees the devices. When you start the Avid Uninstaller, deselect the options to uninstall AvidCoreRuntime.pkg and AvidDIORuntime.pkg.
- Mojo SDI will not be supported with Media Composer, but can still be connected in a co-install configuration for use with Pro Tools.
- If you install and configure Avid Mojo DX or Nitris DX hardware on your system, the editing application does not use any connected Pro Tools audio device for audio input/output operations. You can also use these audio devices with a software-only version of your Avid editing application (Media Composer and NewsCutter).
- If you run into any issues, uninstall both applications and reinstall Pro Tools first, and then reinstall your editing application.
- Media Composer v5.0 and later and Pro Tools v8.0.3 and later do not include support for the Original Mbox. If you want to use the Original Mbox, you should use Media Composer v4.x and Pro Tools v8.0.1 instead.
- If you want to install your Avid editing application on a system with the Pro Tools Avid Video Engine installed, you must use one of the following configurations:
  - Media Composer v5.5/NewsCutter v9.5 and later with Pro Tools v9.0 or later.
  - Media Composer v5.0.x/NewsCutter v9.0.x with Pro Tools v8.5 or earlier.

# Co-installation Configurations and Audio Device Support

## Avid Pro Tools Applications

<b>Pro Tools Product</b>	<b>MC/NC Software Only</b>	<b>MC/NC with Mojo DX</b>	<b>MC/NC/Symphony with Nitris DX</b>
Pro Tools Software Only	Co-install	Co-install	Co-install
Pro Tools HD Native	Co-install/ Audio Device	Co-install	Co-install
Pro Tools HD	Co-install/ Audio Device	Co-install	Co-install
Pro Tools HD, with chassis	Not Tested	Not Tested	Not Tested

## Avid Mbox Family Audio Devices (3rd Generation)

<b>Audio Device (Interface)</b>	<b>MC/NC Software Only</b>	<b>MC/NC with Mojo DX</b>	<b>MC/NC/Symphony with Nitris DX</b>
Mbox (USB)	Co-install/ Audio Device	Co-install	Co-install
Mbox Pro	Co-install/ Audio Device	Co-install	Co-install
Mbox Mini (USB)	Co-install/ Audio Device	Co-install	Co-install

## Avid Mbox 2 Family Audio Devices

<b>Audio Device (Interface)</b>	<b>MC/NC Software Only</b>	<b>MC/NC with Mojo DX</b>	<b>MC/NC/Symphony with Nitris DX</b>
Mbox 2 (USB)	Co-install/ Audio Device	Co-install	Co-install

<b>Audio Device (Interface)</b>	<b>MC/NC Software Only</b>	<b>MC/NC with Mojo DX</b>	<b>MC/NC/Symphony with Nitris DX</b>
Mbox 2 Pro (1394)	Co-install	Co-install	Co-install
Mbox 2 Mini (USB)	Co-install/ Audio Device	Co-install	Co-install
Mbox 2 Micro (USB)	Co-install	Co-install	Not tested

### Other Avid Audio Devices

<b>Audio Device (Interface)</b>	<b>MC/NC Software Only</b>	<b>MC/NC with Mojo DX</b>	<b>MC/NC/Symphony with Nitris DX</b>
Digi 002 (1394)	Co-install/ Audio Device (Windows)	Co-install	Co-install
Digi 003 (1394)	Co-install	Co-install	Co-install
Eleven Rack (USB)	Not Supported	Not Supported	Not Supported
Fast Track Pro (USB)	Audio Device	Not Supported	Not Supported

## External Controllers

Your Avid editing application supports the following external fader controllers or mixers for automation gain and pan recording or as control surfaces:

- Digi 002 (Windows only — Media Composer and NewsCutter)
- Command|8
- Avid Artist Control
- Avid Artist Mix
- Avid Artist Transport

- Avid Artist Color
- JL Cooper MCS-3000X MIDI automation controller
- JL Cooper FaderMaster Pro MIDI automation controller
- Yamaha® 01V/96 and Yamaha 01V digital mixing console



*The JL Cooper controllers and Yamaha mixing consoles do not support automation pan recording.*

External controllers or mixers are optional. They are not required for you to perform automation gain or pan recording on an Avid editing system.

The following table compares Avid external controllers and mixers.

<b>Feature</b>	<b>Digi 002 (MC/NC only)</b>	<b>Command 8</b>	<b>Avid Artist Control</b>	<b>Avid Artist Mix</b>	<b>Avid Artist Transport</b>	<b>Avid Artist Color</b>
Control surface for transport controls and other functions	Yes	Yes	Yes	Yes (transport only, no soft keys)	Yes	Yes
Provides audio play, input, and output	Yes	No	No	No	No	No
Record automation gain	Yes	Yes	Yes	Yes	No	No
Record automation pan	Yes	Yes	Yes	Yes	No	No
Flying faders	Yes (8)	Yes (8)	Yes (4)	Yes (8)	No	No
Touch-sensitive faders	Yes	Yes	Yes	Yes	No	No
Touch-sensitive panners	No	No	Yes	Yes	No	No
Solo/mute	Yes	Yes	Yes	Yes	No	No
Supports audio mixing	No <sup>a</sup>	No	No	No	No	No
Latch mode (also known as Snap mode)	Yes	Yes	Yes	Yes	No	No



<b>Feature</b>	<b>Digi 002 (MC/NC only)</b>	<b>Command 8</b>	<b>Avid Artist Control</b>	<b>Avid Artist Mix</b>	<b>Avid Artist Transport</b>	<b>Avid Artist Color</b>
Number of steps of fader accuracy	1024	1024	1024	1024	Not applicable	

- a. The Digi 002 can be used as a standalone audio mixer but not at the same time as it is being used as an automation gain or automation pan controller or control surface.

The following table compares supported third-party external controllers and mixers.

<b>Feature</b>	<b>FaderMaster Pro</b>	<b>MCS-3000X</b>	<b>Yamaha 01V/96 and Yamaha 01V</b>
Control surface for transport controls and other functions	No	No	No
Provides audio play, input, and output	No	No	No
Record automation gain	Yes	Yes	Yes
Record automation pan	No	No	No
Flying faders	No	Yes	Yes
Touch-sensitive faders	No	Yes	No
Solo/mute	Yes	Yes	Yes <sup>a</sup>
Supports audio mixing	No	No	Yes
Latch mode (also known as Snap mode)	No	Yes	No
Number of fader steps of accuracy	128	1024	256

- a. For Yamaha fader/controllers, solo works only if you do not use the unit for audio mixing at the same time

For more information on using these external fader controllers or mixers, see “Recording Automation Gain or Automation Pan Information” in the Help.

# Setting up the NVIDIA Card

To set up the NVIDIA card, you must make sure you have the correct display driver version (install the display driver if necessary, and set the correct display settings. This version of the editing application requires the following Nvidia Driver:v275.89

Prior to setting up the NVIDIA card, check to make sure you have the correct display driver version. If you do not have the correct NVIDIA driver, you can install it from the Utilities folder that installs with your Avid application.

Installation files for these drivers are installed in the folder Program Files\Avid\Utilities\nVidia.

## To check the NVIDIA display driver version:

1. Right-click the Desktop and select NVIDIA Control Panel. You can also open the Windows Control Panel and double-click the NVIDIA Control Panel icon.
2. Click System Information at the bottom left corner of the NVIDIA Control Panel.

The version number is listed in the Graphics card information section on the ForceWare version line.

## To install the NVIDIA display driver:

1. Navigate to Program Files\Avid \ Utilities \nVidia and double-click the folder that corresponds to your operating system.
2. Double-click the file for the applicable driver.
3. Follow the on-screen instructions, and then restart your system.

## To setup multiple displays:

1. Right-click the Desktop, and select Nvidia Control Panel.
2. In the settings window in the left of the window, click Set up multiple displays.
3. Select or deselect the desired monitors listed.

## To set Desktop Video Editing Mode:

1. Right-click the Desktop, and select Nvidia Control Panel.
2. In the menu bar, select Desktop. Enable Desktop>Video Editing Mode.
3. Click Apply.

## To set the Prefer Maximum Performance mode and Global Settings:

1. Right-click the Desktop, and select Nvidia Control Panel.
2. Click Manage 3D Settings.
3. Set Global presets to Base profile.

4. In the Global Settings tab, change Power Management mode to Prefer Maximum Performance.
5. Click Apply.
6. Set the Global preset to 3D App-Video Editing.
7. Click Apply.

Reboot after installing the Nvidia software even if you are not prompted to do so. Never use the Windows “roll back driver” feature on the Nvidia driver. The driver version must match the rest of the components the Nvidia installer installs.

## Shared Storage Support

The editing application has been tested in a shared storage environment with the following. Note that ISIS 7000 was previously referred to as Avid Unity ISIS.

There is no support for ethernet attached clients in a MediaNetwork environment.

<b>Editing Application Operating System</b>	<b>ISIS 5000 Client</b>	<b>ISIS 5000 Server</b>	<b>ISIS 7000 Client</b>	<b>ISIS 7000 Server</b>	<b>Media-Network Client</b>	<b>Media-Network Server</b>
Windows 7 64-bit	v3.5	v3.2	v3.5	v2.2.2, v2.3, v2.4	v5.4	v5.1.3
Macintosh Lion v10.7.1, v10.7.2	v3.5	v3.2	v3.5	v2.2.2, v2.3, v2.4	v5.5	v5.1.3

## Feature Performance

A number of features in this editing application are processor-intensive. As a result, you might experience problems if you are working on an older system. The following chart shows the hardware that Avid has successfully qualified when using these features.

<b>Feature</b>	<b>Description</b>	<b>Recommended System</b>
Stereoscopic 3D	For optimal performance with Stereoscopic 3D, use these higher performance systems. Avid recommends a minimum of 12GB RAM when using Stereoscopic 3D.	<ul style="list-style-type: none"> <li>• HP z800 Dual Quad Core, or Dual 6 Core, with Hyperthreading On</li> <li>• HP z400, 6-core with Hyperthreading On</li> <li>• Dell T5500 Dual, 2.93GHz Quad Core with Hyperthreading On</li> <li>• Mac Pro Dual 6 Core “Westmere”</li> </ul>
XDCAM HD50 Capture	Baseband capture through Nitris DX, Mojo DX	<ul style="list-style-type: none"> <li>• HP z800 Dual Quad Core, or Dual 6 Core, with Hyperthreading On</li> <li>• HP z400, 6-core with Hyperthreading On</li> <li>• Dell T5500 Dual, 2.93GHz Quad Core with Hyperthreading On</li> <li>• Mac Pro Dual Quad Core “Nahalem” or Dual 6 Core “Westmere”</li> </ul>
HD RGB	HD RGB capture requires a high end workstation with Nitris DX and fast storage. (The HP z800 and the Dell T5500 have been qualified to successfully play back 2 streams with PIP and Color Correction effects. The Mac Pro Dual Quad Core “Nahalem” successfully plays back 2 streams with PIP.)	<ul style="list-style-type: none"> <li>• HP z800 Dual Quad Core, or Dual 6 Core, with Hyperthreading On - 64-bit OS</li> <li>• Dell T5500 Dual, 2.93GHz Quad Core with Hyperthreading On 64-bit OS</li> <li>• Mac Pro Dual Quad Core “Nahalem” or Dual 6 Core “Westmere”</li> <li>• Storage: 10Gb Ethernet ISIS, VideoRaid II SR or two VideoRaid II ST striped together.</li> </ul>

Feature	Description	Recommended System
AMA (RED)	AMA is a processor intensive operation. Older platforms may not offer optimum performance.	<ul style="list-style-type: none"> <li>• HP z800 Dual Quad Core, or Dual 6 Core, with Hyperthreading On</li> <li>• HP z400, single 4-core or 6-core with Hyperthreading On</li> <li>• Dell T5500 Dual, 2.93GHz Quad Core with Hyperthreading On</li> <li>• Mac Pro Dual Quad Core “Nahalem” or Dual 6 Core “Westmere”</li> </ul>
AMA (QuickTime)	AMA is a processor intensive operation. Lower end platforms may not offer optimum performance. Highly compressed codecs such as H.264 will exhibit minimal real-time performance.	Recommendation of qualified systems depends on your planned use of this feature. Heavy usage of highly compressed codecs requires the high end systems.
Ancillary Data	Ancillary Data and Nitris DX: Due to software DNxHD codec performance requirements, you must have a dual quad core system in order to capture DNxHD 220 or 220x with ancillary data on the Nitris DX platform. If your system does not meet the system requirements, the only way to capture DNxHD 220 or 220x is to make sure that ancillary data is not enabled.	Dual Quad Core or dual 6-core Systems
DVCPPro HD capture	You will get better performance with a dual quad core or dual 6-core system.	Dual Quad Core or dual 6-core Systems

Feature	Description	Recommended System
AVCI-Intra	AVC-Intra(AVC-I) is a high quality, low bit-rate HD codec and is very CPU intensive.	<p><b>4-Way MultiCam Playback</b></p> <ul style="list-style-type: none"> <li>• HP z800 Dual Quad Core or Dual 6 Core, with Hyperthreading On - 64-bit OS</li> <li>• Mac Pro Dual Quad Core “Nahalem” or Dual 6 Core “Westmere”</li> </ul> <p><b>Four Stream Playback:</b></p> <ul style="list-style-type: none"> <li>• HP z800 Dual 6 Core with Hyperthreading On - 64-bit OS</li> <li>• Mac Pro Dual 6 Core “Westmere”</li> </ul> <p><b>Two Stream Playback:</b></p> <ul style="list-style-type: none"> <li>• HP z400, single 6 Core with Hyperthreading On</li> </ul> <p><b>Single Stream Playback:</b></p> <ul style="list-style-type: none"> <li>• Systems listed above.</li> <li>• HP z400, single 4-core with Hyperthreading On</li> <li>• HP 8600, dual 4-core without Hyperthreading On</li> <li>• HP 8740w laptop, i7 (1.73GHz) 4-core with Hyperthreading On</li> <li>• HP 8540w laptop, i7 (1.73GHz) 4-core with Hyperthreading On</li> <li>• Dell Precision M6500 laptop, i7 (2.00 GHz) 4-core with Hyperthreading On</li> <li>• The MacBook Pro 17" laptop, i7 (2.66 GHz) 2-core with Hyperthreading On</li> <li>• iMac 27", i7 (2.8GHz) 4-core with Hyperthreading On</li> </ul>

# Limitations

The following limitations apply to the current version of the editing application.

## Compatibility

- **Bug Number:** UDevC00151588. You must have the MediaNetwork client installed on your system in order to play linked AMA clips from the MediaNetwork shared storage.
- **Bug Number:** . The Standalone Transfer Manager will be supported with this release, except for compatibility with Airspeed Classic and Open I/O devices.

## Effects

- **Bug Number:** . AVX 1 effects are no longer supported and will not be recognized in this latest version of Media Composer. Please contact the respective 3rd-party plug-in vendor for an AVX2 64-bit version of any existing plug-in that you might have purchased. The following Avid AVX1 effects will automatically be promoted to AVX2:
  - Avid Pan & Zoom
  - Region Stabilize
  - RGB Keyer

When you load a previously-generated sequence containing one of these effects, they will automatically be promoted to new corresponding AVX2 effects. These effects will not be recognized by earlier versions of Media Composer.

- **Modifying Pan Values in the Timeline:** You can display different pan values in the Timeline for different audio tracks by clicking the Clip Gain/Pan button in the Track Control panel and selecting one of the pan value options. However, if you want to manipulate pan control points (either adding a keyframe or adjusting a keyframe), you must make sure all audio tracks display the same pan values. To do this, Alt+click the Clip Gain/Pan button in the Track Control panel for any audio track and select a pan value option.

## Interplay

- **Bug Number:** . (Interplay) Dynamic relink is not currently supported for media that requires pulldown. Therefore, you can only use it with clips where the media has been acquired at the native frame rate (without pulldown).

- **Bug Number:** . (Interplay) Pro Res formats can only be used by Avid editing applications that are in a non-Interplay environment. For any additional limitations regarding running an Avid editing application in an Interplay environment, see the Interplay ReadMe.
- **Bug Number:** UDevC00164931. (Avid Interplay and Windows 7) Can't locate Media Indexer on Avid editor after first install. After an initial installation of the editor and Interplay support software, the editing application may fail to locate the Media Indexer. This can happen if some of the Avid Service Framework services have not started correctly.

**Workaround:** Open the Workgroup Properties tool on the editor and check whether any of the services are not running. Restart any services as required. Then restart the Avid editing application again. You may have to do this the first few times that you start the editor. After a few times the services will begin starting automatically, even after a reboot.

## Media Tool

- **Bug Number:** UDevC00164836. If the Media Tool window is set to Frame view, you might experience slow redraw issues when accessing large volumes of shared storage.

## Output

- You cannot control down/cross conversion from the Video Output Tool when in TrueP mode for 1080p projects or when you are in Stereoscopic mode.

**Workaround:** When in stereoscopic mode or have True Progressive output set for 1080p projects, the down-convert and cross-convert options are not available. To output at a rate different than the project format, go to the Format tab and change the output project setting.

## Play

- **Bug Number:** UDevC00164987. After editing for an extended period of time, using the keyboard arrow keys to single step through the sequence might skip frames or move in the wrong direction.

**Workaround:** Minimize and maximize the editing application or change focus to another application and then back to the editor.

- **Bug Number:** UDevC00153838. You might receive an “Exception: The sequence or one of its source elements is too long to be played” error if you have a sequence over 12 hours.



## Stereoscopic 3D

- **Bug Number:** UDevC00164741. If a rolling title is used in an Over\Under stereo project, you may get the wrong scaling and cropping of lines.
- Stereoscopic projects are not supported on Avid Interplay.
- Multicam of stereoscopic clips is not supported.
- NVIDIA 3D Vision
  - Avid currently only supports the NVIDIA 3D Vision Home bundle (which includes the 3D glasses, emitter hub and display monitor). The 3D Vision Pro has not been successfully tested.
  - Full screen playback on an NVIDIA 3D Vision monitor is only supported on a Windows system.
  - Due to an NVIDIA driver issue, the first time that the full screen play window appears, the application will resize to a single monitor. Resize the application as necessary. You can reset your window positions by clicking on a toolset in the menu.
- **Bug Number:** UDevC00161499. Ancillary data output is not supported if you are working in full stereoscopic format.

## Timeline

- **Bug Number:** UDevC00164751. If you have a sequence loaded in the Timeline, and you have waveforms on, clicking or dragging in the Timeline does not stop the waveform from drawing.  
**Workaround:** Hold Cmd + . to stop the waveform from drawing.

## Titles

- **Bug Number:** UDevC00165233. Rolling or crawling titles are not currently supported with ProRes SD. These titles are supported with ProRes HD.

# Documentation Changes

The following changes have occurred since the documentation was completed:

## Opening and Closing Bins

**To open several bins at once from the Project window:**

1. Click a Bin icon in the Bins list.
2. Ctrl+click (Windows) or Command+click (Macintosh) each additional bin you want to open.
3. Do one of the following:
  - ▶ To open each bin in a separate window, select File > Open Selected Bins.
  - ▶ To open all bins as tabs in a single bin, select File > Open Selected Bins In One Window.

The selected bins open either in separate windows or in a single window with tabs indicating the bins.



*You can also open multiple bins by dragging them from the Bins tab in the Project window to an open bin. The bins open as tabs in the existing bin.*

## Assigning a Workspace or Bin Layout Button

When you assign a workspace or bin layout to a button, the button displays the first two characters of the workspace or layout name. If the assigned workspace or layout is not available — for example, if you deleted the workspace or the bin layout — the button remains visible but the label displays italicized characters.

## Deck Preferences Setting

There is an additional option in the Deck Preferences Setting to “Relax coincidence point detection.” This option is off by default. Depending on the deck, device control hardware or system you are using, marking an In point in the Capture Tool and performing a capture can result in a “coincidence point detection error.” If you select this option, the editing application is less strict on finding the coincidence point. Note, relaxing the detection can allow captures to succeed but has a greater possibility of capturing from the wrong in-point.

## Legal Notices

Product specifications are subject to change without notice and do not represent a commitment on the part of Avid Technology, Inc.

This product is subject to the terms and conditions of a software license agreement provided with the software. The product may only be used in accordance with the license agreement.

Avid products or portions thereof are protected by one or more of the following United States Patents: 5,077,604; 5,267,351; 5,309,528; 5,355,450; 5,396,594; 5,440,348; 5,467,288; 5,513,375; 5,528,310; 5,557,423; 5,568,275; 5,577,190; 5,584,006; 5,634,020; 5,640,601; 5,644,364; 5,654,737; 5,715,018; 5,719,570; 5,724,605; 5,726,717; 5,729,673; 5,745,637; 5,752,029; 5,754,180; 5,754,851; 5,799,150; 5,812,216; 5,828,678; 5,842,014; 5,852,435; 5,905,841; 5,929,836; 5,930,445; 5,946,445; 5,986,584; 5,987,501; 6,016,152; 6,018,337; 6,023,531; 6,058,236; 6,061,758; 6,091,778; 6,105,083; 6,118,444; 6,130,676; 6,134,607; 6,141,691; 6,198,477; 6,201,531; 6,223,211; 6,249,280; 6,269,195; 6,330,369; 6,351,557; 6,353,862; 6,357,047; 6,392,710; 6,404,435; 6,407,775; 6,417,891; 6,426,778; 6,477,271; 6,489,969; 6,512,522; 6,532,043; 6,546,190; 6,552,731; 6,553,142; 6,570,624; 6,571,255; 6,583,824; 6,618,547; 6,636,869; 6,665,450; 6,678,461; 6,687,407; 6,704,445; 6,747,705; 6,763,134; 6,766,063; 6,791,556; 6,810,157; 6,813,622; 6,847,373; 6,871,003; 6,871,161; 6,901,211; 6,907,191; 6,928,187; 7,043,058; 7,081,900; 7,103,231; 7,266,241; 7,280,117; RE40,107; 7,403,561; 7,433,519; 7,512,885; 7,545,957; D352,278; D392,267; D392,268; D392,269; D395,291; D396,853; D398,912. Other patents are pending.

Avid products or portions thereof are protected by one or more of the following European Patents: 0506870; 0515031; 0635188; 0674414; 0694243; 0705517; 0752174; 0857293; 0976108; 0988756; 1068723; 1068734; 1111910; 1173850; 1629675. Other patents are pending.

Avid products or portions thereof are protected by one or more of the following United States Patents: 5,077,604; 5,267,351; 5,309,528; 5,355,450; 5,396,594; 5,440,348; 5,467,288; 5,513,375; 5,528,310; 5,557,423; 5,568,275; 5,577,190; 5,584,006; 5,634,020; 5,640,601; 5,644,364; 5,654,737; 5,715,018; 5,719,570; 5,724,605; 5,726,717; 5,729,673; 5,745,637; 5,752,029; 5,754,180; 5,754,851; 5,799,150; 5,812,216; 5,828,678; 5,842,014; 5,852,435; 5,905,841; 5,929,836; 5,930,445; 5,946,445; 5,986,584; 5,987,501; 5,999,406; 6,016,152; 6,018,337; 6,023,531; 6,038,573; 6,058,236; 6,061,758; 6,069,668; 6,091,778; 6,105,083; 6,118,444; 6,130,676; 6,134,607; 6,141,007; 6,141,691; 6,198,477; 6,201,531; 6,211,869; 6,223,211; 6,249,280; 6,269,195; 6,330,369; 6,351,557; 6,353,862; 6,357,047; 6,392,710; 6,404,435; 6,407,775; 6,417,891; 6,426,778; 6,477,271; 6,489,969; 6,512,522; 6,532,043; 6,546,190; 6,552,731; 6,553,142; 6,570,624; 6,571,255; 6,583,824; 6,596,031; 6,618,547; 6,636,869; 6,665,450; 6,678,461; 6,687,407; 6,704,445; 6,747,705; 6,763,134; 6,763,523; 6,766,063; 6,766,357; 6,791,556; 6,810,157; 6,813,622; 6,847,373; 6,871,003; 6,871,161; 6,901,211; 6,907,191; 6,928,187; 7,043,058; 7,081,900; 7,103,231; 7,266,241; 7,280,117; RE40,107; 7,403,561; 7,433,519; 7,512,885; 7,545,957; D352,278; D372,478; D373,778; D392,267; D392,268; D392,269; D395,291; D396,853; D398,912. Other patents are pending.

Avid products or portions thereof are protected by one or more of the following European Patents: 0506870; 0515031; 0635188; 0674414; 0694243; 0705517; 0752174; 0857293; 0895623; 0976108; 0988756; 1068617; 1068723; 1068734; 1111910; 1173850; 1629675. Other patents are pending.

No part of this document may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying and recording, for any purpose without the express written permission of Avid Technology, Inc.

Copyright © 2011 Avid Technology, Inc. and its licensors. All rights reserved.

### Attn. Government User(s). Restricted Rights Legend

U.S. GOVERNMENT RESTRICTED RIGHTS. This Software and its documentation are "commercial computer software" or "commercial computer software documentation." In the event that such Software or documentation is acquired by or on behalf of a unit or agency of the U.S. Government, all rights with respect to this Software and documentation are subject to the terms of the License Agreement, pursuant to FAR §12.212(a) and/or DFARS §227.7202-1(a), as applicable.

### Trademarks

003, 192 Digital I/O, 192XD I/O, 888 I/O, AirPlay, AirSPACE, AirSPACE HD, AirSpeed, ALEX, Alienbrain, AniMatte, AudioMarket, AudioPages, AudioSuite, AudioVision, AutoSync, Avid, Avid Advanced Response, Avid DNA, Avid DNxcel, Avid DNxHD, AVIDdrive, Avid DS Assist Station, Avid EditStar, Avid Learning Excelsior, Avid Liquid, Avid Liquid Chrome Xe, Avid MEDIArray, Avid Mojo, AvidNet, AvidNetwork, Avid NewStar, Avid Remote Response, AVIDstripe, Avid Unity, Avid Unity ISIS, Avid VideoRAID, Avid Xpress, AVoption, AVX, Beauty Without The Bandwidth, Boom, C|24, CaptureManager, ChromaCurve, ChromaWheel, Command|24, Conectiv, Countdown, DAE, Dazzle, Dazzle Digital Video Creator, Deko, DekoCast, D-Fi, D-fx, DigiDelivery, Digidesign, Digidesign Audio Engine, Digidesign Intelligent Noise Reduction, DigiDrive, DigiLink, DigiMeter, DigiSerial, DigiStudio, DigiStudio Control, Digital Nonlinear Accelerator, DigiTranslator, DINR, DNxchange, do more, DVD Complete, D-Verb, Eleven, Equinox, EveryPhase, ExpertRender, Fastbreak, Fast Track, FieldPak, Film Composer, FilmScribe, Flexevent, FluidMotion, FXDeko, G7, G-Rack, HD Core, HD Process, HDPack, HYBRID, HyperControl, HyperSPACE, HyperSPACE HDCAM, IllusionFX, Image Independence, iNEWS, iNEWS Assign, iNEWS ControlAir, Instantwrite, Instinct, Intelli-sat Broadcasting Recording Manager, Intelli-Sat, InterFX, Interplay, inTONE, Intraframe, iS9, iS18, iS23, iS36, ISIS, IsoSync, KeyRig, KeyStudio, LaunchPad, LeaderPlus, Lightning, ListSync, Lo-Fi, Magic Mask, Make Anything Hollywood, make manage move | media, Marquee, M-Audio, M-Audio Micro, Maxim, Mbox, MCXpress, Media Browse, Media Composer, MediaDock, mediaDock Shuttle, Media Fusion, Media Illusion, MediaLog, Media Reader, Media Recorder, MEDIArray, MediaShare, MediaStream, Media Suite, Meridien, MetaFuze, MetaSync, MicroTrack, Midiman, MissionControl, Mix Rack, MixLab, Moviebox, Moviestar, NaturalMatch, Nearchive, NetReview, NewsCutter,

Nitris, NRV-10 interFX, Octane, OMF, OMF Interchange, OMM, OnDVD, Open Media Framework, Open Media Management, Palladium, Pinnacle, Pinnacle DistanTV, Pinnacle Geniebox, Pinnacle HomeMusic, Pinnacle MediaSuite, Pinnacle Mobile Media, Pinnacle Studio, Pinnacle Studio MovieBoard, Pinnacle Systems, ProEncode, ProServices, ProSessions, Pro Tools, QuietDrive, Recti-Fi, Reel Tape Delay, Reel Tape Flanger, Reel Tape Saturation, RetroLoop, rS9, rS18, Salesview, Sci-Fi, Scorch, Scorefitter, ScriptSync, SecureProductionEnvironment, Session, Show Center, Sibelius, SIDON, Soft SampleCell, Soft-Clip Limiter, Sound Designer II, SPACE, SPACESHift, SpectraGraph, SpectraMatte, Sputnik, Starplay, SteadyGlide, Streamfactory, Streamgenie, StreamRAID, Strike, Structure, Studiophile, SubCap, Sundance Digital, Sundance, Symphony, SYNC HD, SynchroScience, SynchroScope, Syntax, TDM FlexCable, Thunder, Titan, Titansync, TL Aggro, TL AutoPan, TL Drum Rehab, TL Everyphase, TL Fauxlder, TL In Tune, TL MasterMeter, TL Metro, TL Space, TL Utilities, Torq, Torq Xponent, Transfuser, Trigger Finger, Trillium Lane Labs, TruTouch, UnityRAID, Vari-Fi, Velvet, Venom, VideoRAID, Video Slave Driver, VideoSPACE, VideoSpin, Vortex, Xdeck, X-Form, Xmon, Xponent, and X-Session are either registered trademarks or trademarks of Avid Technology, Inc. in the United States and/or other countries.

Adobe and Photoshop are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States and/or other countries. Apple and Macintosh are trademarks of Apple Computer, Inc., registered in the U.S. and other countries. Windows is either a registered trademark or trademark of Microsoft Corporation in the United States and/or other countries. All other trademarks contained herein are the property of their respective owners.

Avid Media Composer, NewsCutter, and Symphony ReadMe • Part Number 0130-30387-02B • 10/25/11